



3 Mil Matte White Polyprop Thermal Transfer Polypropylene

PRODUCT DESCRIPTION

3 mil polyprop is a opaque matte white, biaxially oriented, coated polypropylene film. This product is thermal transfer printable featuring a quick tack permanent adhesive.

ADHESIVE

3 mil matte white polyprop features a permanent, rubber-based adhesive with excellent tack and ultimate adhesion to a variety of surfaces including polystyrene, polypropylene, polyethylene, paper and corrugate. It is suitable for cold, damp labeling applications. This product also complies with FDA 21 CFR 175.105.

USAGE

- 3 mil Face 40# Liner
- Adhesive Type: permanent, rubber-based
- Minimum Application Temperature: +20°F to -7°C
- Service Temperature: -65°F to 160°F (-54°C to 71°C)
- Recommended Shelf Life: one year when stored at 72° F and 50% R.H.

APPLICATION NOTES

- Rigid containers
- Recommended for environments where durability or moisture resistance is required.
- Drum labels, prime labels, asset labels, price tags and item tracking labels.
- Good UV resistance and excellent substitute for vinyl labels.
- Better smear and scratch resistance than standard paper labels.
- Squeezable and clear labeling applications
- Labeling of many difficult surfaces such as stainless steel and glass.
- Wide application temperature range.
- Withstands a wide range of environmental conditions, including water, oil, dirt, alcohol and blood.

Recommended Thermal Transfer Ribbon: PGR Plus, PGR-A, SDR, SDR-A

GreatLabel™ is a trademark of Datamax O'Neil Printer Supplies

The above data represents product averages, allowing for industry-accepted variance. The products should be tested in the end-use conditions to insure that it meets the requirements of the specific application.